



DSL and IPTV Connection
Instructions

4-Port Modem with IPTV Set-top Box

Your DSL Modem and set-top box

Front View



Back View



Step 1: Connect the Cables

From Left to Right:

1. DSL modem power cord
2. Ethernet network cable to computer (yellow)
3. Ethernet network cable to set-top box (blue)
4. Phone cord to wall jack
5. Set-top box power cord
6. Coaxial video cable to TV (white)



VERY IMPORTANT !!!

Your computer **MUST** be connected to port #1 on the DSL modem.
Television set-top boxes must be connected to ports 2, 3 or 4.

Step 2: Connect the DSL Line

1. Connect filter to phone jack on wall
2. Connect DSL Modem to “DSL” port on the filter
3. Connect phone to “Phone” port on the filter
4. Plug power cord into household electrical outlet



Step 3: Install inline filters

Any other phone jack in the house with anything connected like a phone, fax machine, satellite dish receiver, etc., should have an inline filter installed like this:



Step 4: Connect the Computer

Typical desktop computer.
Connect yellow ethernet cable to ethernet port on computer.



Step 5: Confirm Connection

Lights on the DSL Modem should look like this:

Power: Solid Green
Ethernet: Solid Green
DSL: Solid Green
Internet: Solid Green



Problems Connecting?

DSL light blinking?

Call 326-3700 for technical support.